## **Houghton Chemical Corporation**

Safety Data Sheet



## SAFE-T-THERM® HDN

Section 1 - Identification							
		Houghton Chemical Corp					
Manufacturer Address		52 Cambridge Street, Allston, MA 02134 1-617-254-1010 or 1-800-777-2466					
Emergency Telen	hono	CHEMTREC: 1-800-424					
Emergency Telep Chemical Name 8		Antifreeze/Inhibited Prop		I			
Chemical Family	Coynonyms	Propylene Glycol Mixture		<u> </u>			
Recommended Us	se	Heat Transfer Fluid	•				
Restrictions on Us		Dilution to 50% is genera	Ilv recomme	ended: dilute to mee	et local condition.		
Section 2 – Hazard(s) Identification							
Hazard Classificat	tion	Not Applicable					
Signal Word		Not Applicable					
Hazard Statement		While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of this product.					
Pictogram Descrip	otion	Not Applicable					
Precautionary Statement		vapor. Avoid release to the environment.  Do not leave container open. Do not store in unlabeled containers. Do not eat, drink or smoke when using this product.  Wear eye protection & protective gloves.  Store tightly closed in a cool, dry, well-ventilated place.  Loosen bung cautiously to relieve any pressure. Never use pressure to empty.  IF SWALLOWED: Do NOT induce vomiting. Get medical attention if you feel unwell.  IF IN EYES: Flush eyes with plenty of water for at least 15 minutes.  IF eye irritation persists: get medical attention.  IF ON SKIN: Take off contaminated clothing. Wash with soap and plenty of water.  Wash contaminated clothing before reuse.  FOR LEAKS AND SPILLS: Eliminate all ignition sources. Stop leak if present and safe to do so. Contain spill. Collect spillage & absorb with inert material. Store collected material inapproved containers for proper disposal or recovery.  IN CASE OF FIRE: Use water, water spray, water fog, alcohol-resistant foam, dry chemical, sand or carbon dioxide to extinguish.product. Wear protective gloves, eye and face equipment. Store in a cool, dry and well-ventilated location. Avoid release to the environment.					
Any other Hazard classified	not otherwise	Not Applicable					
	Section	3 - Composition and	d Informa				
Chemical Name		Common name and s	synonyms	CAS#	% by weight		
Propylene Glycol		1,2 - Propanediol		57-55-6	91%		
Water		N/A		7732-18-5	4%		
Inhibitors & Dye		N/A		Proprietary	5%		
		01:1	-1 -1-1 84				
Section 4 – First aid Measures							
Symptoms of Exposure							
Acute Delayed	Irritation of affected area						
Inhalation	Irritation  Vapors and mists expected to be slightly irritating to upper respiratory tract						
Skin	Vapors and mists expected to be slightly irritating to upper respiratory tract.  Irritation may result						
Eye Contact	Irritation may cause transitory stinging and tearing.						
	Very low toxicity if ingested. Ingestion of larger amounts may cause gastrointestinal upset and						
Ingestion	possible temporary central nervous system depression.						

		_	First Aid Instructions			
Inhalation	Remove to fresh air. If		ms persist, seek medical attention.			
		r. Remove any contaminated clothing. Seek medical attention if				
Skin	irritations develops or persists.					
Eye Contact	Flush with water for at least 20 minutes. Seek medical attention if irritations develops or persists.					
Ingestion	DO NOT induce vomiting, seek medical attention.					
Other	Not Applicable	•				
	Se	ection	5 – Fire Fighting Measures			
Suitable Extingui	ichina Matarial	Water	, water fog, water spray, alcohol-resistant foam, dry chemical, sand,			
			bon dioxide.			
Unsuitable Exting	guishing Material		a Available			
Hazards from Co	mbustion		may contain the original material in addition to but not limited to:			
			Monoxide, Carbon Dioxide.			
Special Protectiv	e Equipment for		self-contained breathing apparatus and protective suit. Evacuate			
Firefighters	Soction		nel to safe areas and keep upwind of fire.			
	Section	011 6 -	Accidental Release Measures			
Use of personal p	precautions		Ventilate area of leak or spill. Remove all sources of ignition. Wear appropriate personal protective equipment.			
			Use of safety glasses or googles is recommended. Chemical resistant			
			gloves, chemical resistant apron, boots, and full suit will be necessary			
Protective equipr	ment to prevent the		depending on the extent of clean up task. If ventilation does not control			
	skin, eyes, and clothing.		airborne concentration then respiratory protection equipment that			
	_		meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements			
			should be used.			
Methods and ma	terials used for containm	ent	Collect liquid in an appropriate container or absorb with inert material			
			and place in chemical waste container.			
Cleanup procedu	ıres		Do not flush to sewer. Comply with all federal, state, and local regulations.			
	•	ootion				
	Section 7 – Handling and Storage					
			Protect container from physical damage. Wear appropriate personal protection equipment. Do not expose containers to open flame,			
Precautions for safe handling			excessive heat, or direct sunlight. Use local exhaust over processing			
			area. Do not eat, drink or smoke around products.			
			Store in a cool, dry and well ventilated area away from sources of heat,			
Recommendation	ns on the conditions for s	afe	moisture and incompatible materials. Observe all warnings and			
storage, Storage	/handling incompatibilitie	S.	precautions listed for the product. Keep container closed to prevent			
			contamination.			
			sure Controls/Personal Protection			
	ole Exposure Limits (PELS	s)	Not Applicable			
American Conference of Governmental			Not Applicable			
Industrial Hygienists (ACGIH) Threshold Limit Values			Not Applicable			
Other Exposure Limits			AIHA WEEL is 10 mg/m3 for total vapor and aerosol.			
•			Use mechanical (general) ventilation to control airborne levels below			
Engineering Con	itrol		exposure guidelines.			
			Wear protective safety glasses or goggles, gloves, apron, vapor			
Individual Protection Measures			respirator.			
Section 9 – Physical and Chemical and Chemical Properties						
Appearance (physical state, color, etc.)  Liquid, Clear, Orange						
			Not Explosive; LOWER: 2.6% (v) UPPER: 12.5% (v)			
Odor			Slight to no odor			
Vapor pressure			133 Pa / 0.1 mmHg			
Odor threshold			Not Applicable			
Vapor density (ai	ir = 1)		2.10			
pH Polativo donoity			9.0 - 11.0			
Relative density Freezing point (as 50%)			1.050 - 1.058 -22°F / -31°C			
Solubility(ies)			Miscible in water			
Obligation   Wildeline III water						

Initial boiling point and boiling range				311°F / 155°C						
Flash point			225°F / 10	225°F / 107°C						
Evaporation rate (Butyl Acetate = 1)			<1	<1						
Flammability (solid, gas)			Not Flamr	Not Flammable						
Partition coefficient: n-octanol/water			No Data A	No Data Available						
Auto-ignition temperature			> 700°F /	> 700°F / > 370°C						
Decomposition temperature; and			I I	Not Applicable						
Viscosity	,			~75 cps at 60°F						
		Sec		lity and Reactivity	1					
Reactivity										
Chemical Stability				ole under typical use temperatures.						
Hazardous Reaction	ne			ble under typical use temperatures.						
Conditions to Avoid	15			with oxidizing materials and strong acids. ignition sources and incompatibles.						
Incompatible Materi	ale									
Decomposition Prod		Carbo	Avoid contact with oxidizing agents and strong acids.  Carbon dioxide and carbon monoxide may form when heated to decomposition.							
'				her organic acids may						
1.0. d. D. (1. (5.		Sect		ological Information						
Likely Routes of Exp		. 0'		s / Skin / Ingestion / In		F				
D.1			Term Exposure		rom Long Term	Exposure				
Delayed Effects	Irritation of aff			Irritation of affected a						
Immediate Effects	Irritation of aff		irea	Irritation of affected a		1				
Chronic Effects	Not Applicable	Э		Lactic acidosis, stupo following chronic inge		ave been reported				
The numerical meas	sures of toxicity	/ (e.g., a	acute toxicity	Skin: The LD50 for sl	kin absorption in i	rabbits is >10,000				
estimates such as the	he LD50 (medi	an letha	al dose)) - the	mg/kg Ingestion: Th	e oral LD 50 for r	ats is 20,000 mg/kg				
estimated amount [d	of a substance]	expect	ted to kill 50% of							
test animals in a sin	gle dose.									
Description of the sy	ymptoms. This	descrip	tion includes the	Irritation of affected a	reas. Lactic acido	osis, stupor and				
symptoms associate	ed with exposu	re to the	e chemical	seizures.						
including symptoms	from the lower	st to the	e most severe							
exposure.										
Listed in the			Found to be a potential							
National			carcinogen in the		Found to be					
Toxicology			International		a potential					
Program (NTP)	No		Agency for	No	carcinogen	No				
Report on			Research on		by OSHA?					
Carcinogens?			Cancer (IARC)		by OSHA:					
Carcinogens:			Monographs?							
				ogical Information	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					
Ecotoxicity	Low Ecoto			ogical illioilliatioi						
Persistence and										
Degradability	Biodegrad	able								
Bioaccumulation	Does not h	Does not bioaccumulate significantly								
				soil, it will be highly mo	hile and may con	taminate around				
Mobility in Soil	water	III Wale	i. Il product enters s	on, it will be riigiliy inc	blie and may con	taminate ground				
Other Adverse	No Data A	vailahla	7							
Effects	140 Data A									
	Section 13 – Disposal Considerations									
Do not dump into se agencies to determi				ter. Contact local sewe	er, municipal, stat	e and/or federal				
Section 14 – Transport Information										
Is product DOT regulated in Non-Bulk packaging?										
DOT BULK										
UN number				JULIN	Not Populate	74				
	name				Not Regulated  Not Regulated					
UN proper shipping name Transport hazard class(es)										
				Not Regulated						
Packing group number					Not Regulate	ŧu				

Environmental hazards (e.g., identify if it is a marine pollutant according to the International Maritime Dangerous Goods Code (IMDG Code))	Not Regulated
Guidance on transport in bulk (according to Annex II of MARPOL 73/783 and the International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (International Bulk Chemical Code (IBC Code))	Not Regulated
Any special precautions which an employee should be aware of or needs to comply with, in connection with transport or conveyance either within or outside their premises	Not Regulated

Section 15 – Regula	atory Ir	nformation (Not indicated ar	nywhere else on this SDS)				
Safety Regulations	OSH, Chen	OSHA Hazard Communication Standard: This product is not a "Hazardous Chemical" as defined by the OSHA Hazard CommunicationStandard, 29 CFR 1910.1200.					
Health Regulations	Not A	Available					
Environmental Regulations	Not A	Available					
SARA 311/312	mate healt	d upon available information, this rial is classified as the following h and/or physical hazards rding to Section 311 & 312	Superfund Amendments and Reauthorization Act of 1986 Title III (SARA) Sections 311 and 312: Immediate (Acute) Health Hazard - No; Delayed (Chronic) Health Hazard - No; Fire Hazard - No; Reactive Hazard - No; Sudden Release of Pressure Hazard - No. Section 313: To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.				
	Blue/Health		0				
HMIS	Red/Flammability		1				
Tivilo	Orange/Physical Hazard		0				
	White/Personal Protection		X				
	Health (Blue)		0				
NFPA		mability (Red)	1				
0 (no hazard) to 4 (severe risk)		bility/Reactivity (Yellow)	N/A				
	Spec	ial (White)	0				
US Toxic Substance Control Act		Components of this product listed in the February 2019 TSCA Inventory update are designated as ACTIVE or are exempt from Inventory requirements under 40 CFR 720.30					
CA Proposition 65		This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.					
CEPA – Domestic Substances List	(DSL)	All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.					
	0	action 16 Other Informatio	<b>P</b>				

## **Section 16 – Other Information**

This SDS is applicable for all dilutions and containers for this brand of product. The information herein is provided in good faith and believed to be accurate as of the effective revision date shown. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/ user's responsibility to ensure that activities comply with all federal, state, provincial or local law.

Product Dilutions Differentials							
Properties <sup>1</sup>	60%	50%	40%	35%	30%	25%	
SAFE-T-THERM® HDN	60%	50%	40%	35%	30%	25%	
Performance Additives and Water	40%	50%	60%	65%	70%	75%	
Specific Gravity (15/15°C 60/60°F)	1.050 - 1.059	1.043 - 1.054	1.035 - 1.042	1.034 - 1.042	1.029 - 1.038	1.024 - 1.034	
Reserve Alkalinity (minimum)	14	12	9	8	7	6	
Freeze Point (maximum)	-49°F / -45°C	-22°F / -31°C	-4°F / -20°C	4°F / -16°C	10°F / -12°C	15°F / -10°C	

HCC ID: 513527-H01-200901

<sup>1</sup>Data for the concentrate is based on volume of Propylene Glycol; data for mixtures is based on volume of SAFE-T-THERM® HDN.

Revision Date: 9/1/2020